

The rugged, handheld HF RFID reader/writer is an ideal solution for access control, asset tracking, warehouse management, and livestock tagging.

The 13.56MHz HF Rugged Handheld RFID Reader/Writer is an ideal solution for access control, asset tracking, warehouse management, and livestock tagging. This portable reader/writer is integrated with water-proof keys and is shock and dust resistant to withstand most any harsh environment.

This advanced RFID Reader/Writer is compatible with both ISO15693 or ISO14443A/B Protocols operating in the HF 13.56MHz band, which supports both North America and EU standards.



Applications

- ✓ Access control
- ✓ Asset tracking

- ✓ Warehouse management
- ✓ Livestock tagging



Specifications

Frequency	13.56MHz
RAM Capability	64Mbit
Flash Memory	16Mbit to 144Mbit
Standard development	ISO 15693 or ISO11143A/B
Power supply	Re-chargeable Lithium battery
Power consumption	Low
Data interface	RS232
Key interface	27 water-proof keys
Environment sealing	IP54 Standard. Anti-shock/Dust-proof
Operating temperature	-5°C to 50°C
Boundary dimension	185mm×70mm×35mm





GAO Group

Celebrating Over 15 Years of Innovation

GAORFID.com
GAOTek.com
GAORFIDAssetTracking.com

GAOComm.com

GAOInstruments.com

GAOFiberOptics.com

GAOEmbedded.com

GAOResearch.com

Toll Free (USA & Canada)

1-877-585-9555

All Other Areas

416-292-0038

Ext. 601 for Sales

Ext. 602 for Other Inquiries

China: 86-833-2419625

sales@GAORFID.com