

This wristband RFID tag is suitable for personnel, patient, baby tracking in hospital, car centers, or some other institutions such as offices, school and sports centers.

This active wristband RFID tag operates at the frequency of 2.45GHz ISM. its output power is 0dBm, the read ranges from 0 to 100m, and the type of modulation is GFSK. This wristband tag has disassembly and break resistance-functions which make it suitable for people in need of special care or strict protection. Equipped with a SOS button that can be pressed to send a signal back to the system, it alerts the wearer when a strap is tampered with. Encapsulated within a soft, durable and waterproof housing, the tag is very comfortable to wear. In addition, this wristband RFID tag features low power consumption and long battery life more than 4 years.

Applications

- Patients and personnel are traced via a wristband tag with a SOS button
- ✓ Alert when a strap is tampered with
- Display the status of power consumption
- ✓ Low power consumption





Active Wristband RFID Tag (127006)

Technical Specifications

Read range	0 to 100m
Frequency	2.5GHz ISM
RF output power	0dBm
Power	12 to 18µA 3V
Modulation	GFSK
Data rate	1Mbps
Anti-collision	100 tags simultaneously
Operation	Read only
Battery life	More than 4 years



www.GAORFID.com



GAO RFID Inc. A Member of GAO Group

Celebrating Over 15 Year of Innovation

Active Wristband RFID Tag (127006)



GAO Group

Celebrating Over 15 Years of Innovation

GAORFID.com GAOTek.com GAORFIDAssetTracking.com GAOComm.com GAOInstruments.com GAOFiberOptics.com GAOEmbedded.com GAOResearch.com Toll Free (USA & Canada)

1-877-585-9555

All Other Areas

416-292-0038

Dial Ext.601 for Sales Ext.602 for Other Inquiries

China: 86-519-80691090 86-519-80691089

sales@GAORFID.com

Active Wristband RFID Tag GAO127006

www.GAORFID.com