




This UHF Gen2 RFID Web tag is suitable for item-level apparel and accessory applications and is optimized for inventory management processes and point-of-sale (POS) applications.

This UHF Gen2 RFID web tag features low power consumption and excellent close coupling performance. This small size tag is equipped with Impinj's Monza 3 tag chip and has a 96 bit EPC memory. It can be reliably read/write when tags are in close proximity to each other.



Key Features

- ✓ Suitable for use as an anti-theft component in stores
- ✓ Low energy consumption
- ✓ Small size
- ✓ Excellent close coupling performance
- ✓ 96 bit EPC memory



Technical Specifications

Operating Frequency	860 MHz to 960 MHz
Protocol	EPC Class 1 Gen2
EPC Memory Size	96 bit
User Memory Size	Up to 512 bits
IC	Impinj Monza 3
Antenna Size	22 mm x 40 mm / 0.87 in. x 1.58 in.
Die-cut Size	26 mm x 44 mm / 1.02 in. x 1.73 in.
Operating Temperature	-40 °C to 85 °C / -40 °F to 185 °F
Bending Diameter	> 50 mm tension max. 10 N
Static Pressure	<10 MPa
Delivery Format	Wet inlay, dry inlay, paper tag

GAO Group

- GAORFID.com
- GAOTek.com
- GAORFIDAssetTracking.com
- GAOComm.com
- GAOInstruments.com
- GAOFiberOptics.com
- GAOEmbedded.com
- GAOResearch.com

Toll Free (USA & Canada)

1-877-585-9555

All Other Areas

416-292-0038

Dial Ext.601 for Sales
Ext.602 for Other Inquiries

sales@GAORFID.com