


This UHF RFID jewelry tag is widely used in bullion markets and the jewelry industry.

This UHF RFID jewelry tag is widely used in the jewelry industry and bullion markets and enables automatic jewelry tracking in retail, wholesale or secured storage applications. It allows users to manage sales and inventory and provides for loss prevention. The jewelry tag has a superb read distance of up to 7 meters. Custom printing is available.



Technical Specifications

Physical Parameters	
Inlay Size	27 mm x 9.7 mm
Standard Size	30 mm x 15 mm
Material	Printable Paper
Operating Temperature	-40°C to 65°C
Storage Temperature	-40°C to 85°C
Performance Parameters	
Chip	Higgs-3
Operating Frequency	860 MHz to 960 MHz
Read Distance	5 to 7 meters, depending on operating environment
Standard	ISO/IEC18000-6C
Other Parameters	
RoHS	compliant with RoHS standard
Data Retention	>10 years
Read/Write Cycles	100000
Customization	Logo and graphic printing

<p>GAO Group</p> <p>GAORFID.com</p> <p>GAOTek.com</p> <p>GAOResearch.com</p>	<p>Toll Free (USA & Canada)</p> <p>1-877-585-9555</p> <p>All Other Areas</p> <p>416-292-0038</p> <p>Dial Ext.601 for Sales Ext.602 for Other Inquiries</p> <p>sales@GAORFID.com</p>
---	---